



Opal Research & Analytical ServicesTM

Labour Commissioner Organization Uttar Pradesh Reg. No.-UPS052827002630

Ph.: 0120-6526519
Mob.: 09717557863
09212156519
09250076519

An ISO 6001 : 2008 Certified Govt. Approved Laboratory

Plot No. 34 Mansarovar Park, Lal Kuan,
(Behind Reliance Petrol Pump) Ghazlabad - 201002 (U.P.)
E-mail : Opal.ras123@gmail.com Web.: www.orsIndia.com

TEST REPORT

Report No.	:	ORAS/ SOP/016191
Issued To	:	Puncture Solution Pvt. Ltd. 1B/91, 1 st floor Ramesh Nagar
Date	:	23/04/2016
Date of Receipt	:	16/04/2016
Your Reference	:	Email & Telephone
Test Started on	:	16/03/2016
Test Completed on	:	23 /04/2016
Sample Description	:	One Sample Received as Tyre Puncture Sealant

MATERIAL SAFETY DATA SHEET

Section I. Product Identification			
Product Name	: Puncture Solution	CI#	: Not Available
Chemical Formula	: Not Available	CAS#	: Not Available
Synonyms	: Puncture Solution	Code	: Not Available
Manufacture	: Anachemia Canada 255 Normal Lachine (Montreal), Que H&T 1A3	Formula Weight	: Not Available
		Supersedes	:
Material Uses : Tyre Puncture Sealant Used Only			
Section II. Ingredients			
Name	CAS#	%	TLC
Puncture Solution	Not Available	72.19	Not Available
Puncture Gum			
Section III. Physical Data (Arabic Gum)			
Physical State & Appearance/odour : Light odour, brown to dark black semisolid liquid			
pH (1% soln water)	: Not Available		
Odor threshold	: Not Available		
Percent Volatile	: Not Available		
Freezing Point	: Not Available		
Boiling Point	: Not Available		
Vapor Density	: Not Available		
Vapor Pressure	: Not Available		
Water/oil dist. Coeff.	: Not Available		
Evaporation	: Not Available		

(cont.1)



Opal Research & Analytical ServicesTM

Ph.: 0120-6526519
Mob.: 09717557863
09212156519
09250076519

Labour Commissioner Organization Uttar Pradesh Reg. No.-UPS052827002630

An ISO 6001 : 2008 Certified Govt. Approved Laboratory

Plot No. 34 Mansarover Park, Lal Kuan,
(Behind Rellance Petrol Pump) Ghaziabad - 201002 (U.P.)
E-mail : Opal.ras123@gmail.com Web.: www.orsIndia.com



Section IV. Fire & Explosion Data

Flash Point	: Not Available
Flammable limit	: Not Available
Auto degradation product	: Not Available
Fire Extinguishing product	: Not Available

Section V. Toxicological Properties

Routes of entry	: Harmal by ingestion or skin absorption Irritant
Eyes	: Causes irritation IRRITATION:EYE-RABBIT 36 mg/5H SEVERE
Skin	: Causes skin irritation. May cause allergic skin reaction
Inhalation	; Headache, Coughing, Dizziness, Dyspnea. May cause allergic respiratory. Respiratory reaction, reported to be a weak allergen inhalation of dust can cause respiratory problems with symptoms such as asthma, coughing, wheezing, watery eyes and nose, Angioedema, eczema and hives can result from inhalation or ingestion
Ingestion	: Not Available



Term & Conditions

- The Total Liability of our Laboratory is limited to the Invoiced Amount. No Liability will be accepted after the sample is taken back.
- The result listed refers only to the samples and applicable parameters endorsement of product is neither inferred nor implied.
- The sample description is not verified in all cases and is given as described by customers. Sample not drawn by us and Analysis conducted on "As received basis" unless specified otherwise.
- Routine Samples are disposed after suitable Retaining period, while sample of perishable goods are disposed immediately after reporting of sample.
- This report is not to be reported wholly or in parts and cannot be used as evidence in a court of law and shall not be used in advertising media without written permission of CEO of M/s Opal Research & Analytical Service Any complaints about this report should be communicated in writing within 7 days of issue of this report.
- All disputes are subject to the Ghaziabad Jurisdiction.
- It is here by noted that our Food & Water Testing Lab is situated at Ghaziabad.